

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S187	8	(data near5 field) near10 (search\$3 quer\$4) near10 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S188	3738	707/5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S189	2275	S188 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S190	151	S189 and (search\$3 quer\$4) near5 synonym	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S191	13	S189 and synonym and ((differen\$3 vari\$3 variation) near5 writ\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S192	5	S189 and synonym near10 (search\$3 quer\$4) near10 field	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S193	2	synonym\$3 near10 levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S194	2	synonym\$3 same levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S195	25	synonym\$3 and levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S196	1	(data near5 field) near10 (generat\$3) near10 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S197	36	((input\$3 search\$3 quer\$4) near5 field) near10 synonym \$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S198	8	synonym\$3 near5 (last adj name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S199	682	synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S200	356	synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S201	46	(search\$3 find\$3 quer\$4) near10 synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S202	3	(search\$3 find\$3 quer\$4) near10 synonym\$3 near10 spell\$3 near5 (vari\$3 variation) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S203	15	synonym\$3 near10 spell\$3 near5 (vari\$3 variation) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S204	2682	synonym\$3 and (colour near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S205	55	(search\$3 quer\$4) near5 synonym\$3 and (colour near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S206	55	(search\$3 quer\$4) near5 synonym\$3 and ("colour" near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S207	3	("5210868" "5551049" "5649221").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S208	1	10/484333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S209	1727242	(HIERARCHICAL PRESEARCH-TYPE DOCUMENT).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S210	439	synonym\$3 with (spell\$3 notat\$3) with (differen\$3 vari\$3 variation\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S211	72	synonym\$3 with (spell\$3 notat \$3) with (differen\$3 vari\$3 variation\$1) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S212	18	synonym\$3 with (spell\$3 notat \$3) with (differen\$3 vari\$3 variation\$1) same (name street customer id identification) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S213	38	synonym\$3 with (spell\$3 notat \$3) with (differen\$3 vari\$3 variation\$1) and ((input\$3 quer\$3 search\$3) near5 field) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S214	2	((text input\$3) near5 field) same (synonym\$3 with \$3spell \$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S215	17	((text input\$3 data) near5 field) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S216	1	((last first company) near5 name) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S217	11	((text input\$3 data search\$3 quer\$4) near5 field) and (synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S218	24	((geograph\$5 street first last) near5 name) and (synonym\$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S219	2	"at least" near5 synonym\$3 near5 candidate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S220	7	"at least" near5 ("a" "one" "an") near5 synonym\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S221	269	synonym\$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S222	10	(least) near5 synonym\$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S223	33	("20030037041" "20030217052" "20030217052" "20050015366" "20050015366" "20050080614" "20050080614" "20050080776" "20050080776" "4839853" "5237503" "5317507" "5331556" "5541836" "5619709" "5675819" "5694592" "5873056" "5926811" "6081774" "6088692" "6101492"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

		"6161084" "6256629" "6256629" "6269368" "6269368" "6405190" "6405190" "6460029" "6460029" "6460034" "6460034" "6480843" "6480843" "6510406" "6510406" "6523026" "6523026" "6647383" "6647383" "6675159" "6675159" "6684205" "6684205" "6766316" "6799316" "6865575" "6865575").PN.				
S224	43	(search\$3 find\$3 determin\$3 look\$3 quer\$4) with (candidate near5 synonym\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S225	1	"20040024760"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S226	37	synonym\$3 near5 (potential candidate) same (probabili\$4 algorithm scor\$3 degree\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S227	1	synonym\$3 near5 (potential candidate nominat\$3) with criteri\$2 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S228	1	evaluat\$3 with (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S229	4	rank\$3 with (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S230	36	automatic\$4 near5 select\$3 near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S231	4	(record) same (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S232	3	("5210868" "5551049" "5649221").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S233	45	((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S234	1	((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 same \$3spell\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S235	45	((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S236	192	least with one with synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S237	149	least near5 one near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S238	294	least near5 one near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S239	302	least near5 (a an one) near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S240	43	(search\$3 quer\$4) with (least near5 (a an one) near5 synonym\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S241	2	(search\$3 quer\$4) with (least near5 (a an one) near5 synonym\$3 near5 (candidate potential nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S242	1	(list\$3 generat\$3 determin\$3 extract\$3 produc\$3 creat\$3) with (least near5 (a an one) near5 synonym\$3 near5 (candidate potential nominat \$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S243	76	(list\$3 generat\$3 determin\$3 extract\$3 produc\$3 creat\$3) with (least near5 (a an one) near5 synonym\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S244	110	(synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S245	1	least near5 (one a an) near5 (synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S246	11	(synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") and 707/5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S247	5	(generat\$3 determin\$3 extract\$3 creat\$3) near5 (least) near5 synonym\$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S248	2	("4773039" "5742834").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S249	45	(levenshtein near5 distance) not speech and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S250	120	(eras\$3 discard\$3 eliminat\$3) near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S251	20	discard\$3 near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S252	3	(realtime real-time) near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S253	15	updat\$3 near5 synonym near5 (database data-base repository table list set) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S254	206	updat\$3 near5 (synonym\$3 analog\$3) near5 (list set table database data-base)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S255	156	updat\$3 near5 (synonym\$3 analog\$3) near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S257	15	updat\$3 near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S258	157	(insert\$3 add\$3 addition append\$3 combin\$5 attach\$3 updat\$3) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S259	3	dynamic\$4 same (insert\$3 add \$3 addition append\$3 combin \$5 attach\$3 updat\$3) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S260	167	(insert\$3 add\$3 addition append\$3 combin\$5 attach\$3 updat\$3 modif\$5 put\$4) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S261	224290	("707" "705" "715" "709"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15

S262	116	S260 and S261	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S263	2	10/326492	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/20 15:15
S264	167	synonym\$3 near5 (candidate potential) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/25 13:17
S265	36	S264 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/25 13:18
S268	3	updated near5 synonym\$3 and synonym\$3 same (writting spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/25 15:25

S272	8	updated near5 synonym\$3 and (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/25 15:41
S273	8	updat\$3 near5 synonym\$3 and synonym\$3 same (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/25 15:46
S274	407	synonym\$3 same (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/25 15:48
S275	37	S274 and 707/3.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/25 15:48
S276	5	input near5 (search\$3 quer \$4) same synonym\$3 with (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/25 15:56

S277	1	10/559386	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/11/26 09:34
------	---	-----------	---	----	----	---------------------

11/26/2008 2:10:35 PM

C:\Documents and Settings\shoang\My Documents\EAST\Workspaces\son_10_559_386_case.
wsp